

INDEX MAPS.

T. 29N, R. 6E. 2nd Mer.

	406		406		405		405		405		404	
409	6	444	5	437	4	432	3	429	2	427	1	404
	444		443		436		431		428	412	412	
408	7	442	8	435	9	431	10	427	11	411	12	403
	442		441		435		430	415	415		411	
408	18	441	17	434	16	430	15	425	14	411	13	403
	440		439		433	418	417		414		411	
407	19	438	20	433	21	417	22	414	23	410	24	403
	438	421	421		419		417		413		410	
407	30	420	29	419	28	416	27	413	26	410	25	403
	437	421	420		418		416		413		409	
407	31	420	32	418	33	416	34	412	35	409	36	402
	402		402		401		401		401		401	

Meanders 422, 445

T. 30N, R. 6E. 2nd Mer.

	458	458	458	457	457	457						
461	6	483	5	477	4	473	3	469	2	465	1	456
	483	482	477	473	469	465						
461	7	482	8	476	9	472	10	468	11	465	12	456
	481	481	476	472	468	464						
460	18	481	17	476	16	472	15	468	14	464	13	456
	480	480	475	471	467	464						
460	19	480	20	475	21	471	22	467	23	463	24	456
	479	479	475	470	467	463						
459	30	478	29	474	28	470	27	466	26	463	25	455
	478	478	474	470	466	462						
459	31	477	32	473	33	469	34	466	35	462	36	455
	454	454	454	453	453	453						

Meanders 484

The figures on the lines refer to the page.

Township No 30 North of Range No 6 East of the 2^d Mer. Indiana 453

South Boundary

- West On South Boundary of Sec 36. Var. 5.15 E.
 20.12 A B Oak 10 in. diam.
 40.00 Set a go the post from which
 1 a W Oak 12 in. diam. bears N 00 W. 1.46 links dist &
 a Do 12 " " N 50 E 61 " "
 42.50 Enter Mr. Prairie
 59.50 A Brook 10 links wide. Cr. South leave prairie
 65.23 A W Oak 12 in. diam.
 66.00 A Trail Course S W
 80.00 Set a Post Corner to Sec 35 & 36. from which
 a W. Ash 12 in. bears N 49 W. 10 links dist &
 a Do 18 " " N. E. 71 " "
 Land level 1st rate. Thinly timbered with Oak. Ash.
 & Elm. Underg^t. Hedge Brives & Grape vines

- West On South Boundary of Sec 35
 25.42 A W. Wood 36 in. diam.
 40.00 Set a go the post from which
 a Beech 4 in. diam. bears N 36 W 9 links dist &
 an Ironwood 7 " " " N 26 E 16 " "
 48.50 An Elm 14 " "
 50.00 A Brook 5 links wide. Course S W
 50.00 Set a Post Corner of Sec 34 & 35. from which
 a Blue Beech 6 in. diam. bears N 13 W 30 links dist &
 a Red Oak 22 " " " N 68 E 35 " "
 Land gently rolling and 1st rate Timber. Oak. Beech.
 Ash. Elm & Ironwood.

- West On South Boundary of Sec 34
 20.00 A Red Oak 38 in. diam.
 27.00 A Brook 6 links wide Course S E.
 40.00 Set a go the Post from which
 an Ironwood 5 in. diam. bears N 65 W 19 lks dist &
 a W. Oak 20 " " " N 28 E 33 " "
 60.03 A Blk Oak 7 " "

T 30 N. R. 6 E 9th Mer. Indiana.

79.00 A Brook 8 links wide. Course N.W.
 80.00 Set a Post Corner to Sec. 33 & 34 from which
 a Butternut 10 in. diam. bears N 63 W. 25 links dist.
 & a Hickory 10 " " " N 32 E 75 " "
 Land as before.

West On South Boundary of Sec 33.
 3. 50 A Brook 8 links wide. Course South.
 22.50 A W. Oak 10 in. diam.
 23.00 Enter Wet Prairie
 24.00 A Brook 6 links wide Course South.
 30.00 Left Prairie
 40.00 Set a 2^d Sec Post from which
 a W. Oak 30 in. diam. bears N 50 W 42 links dist &
 an Elm 18 " " " N 84 E 48 " "
 67.33 A Hickory 7 " "
 80.00 Set a Post Corner to Sec. 32 & 33 from which
 a W. Oak 10 in. diam. bears N 50 W 40 links dist &
 a Dr 26 " " " N 41 E 51 " "
 Land level & 1st rate. (Marsh or Prairie excepted)
 Timber. Oak & Hickory.

West On South Boundary of Sec 32.
 10.64 A Hickory 10 in. diam.
 40.00 Set a 2^d Sec Post from which
 a W. Oak 10 in. diam. bears N 79 W. 22 28 links dist &
 a Dr 30 " " " N 44 E. 1. 44 " "
 62.07 A Dr 14 " "
 80.00 Set a Post Corner to Sec. 31 & 32 from which
 a W Oak 10 in. diam. bears N 22 W. 1. 79 links dist &
 a Dr 28 " " " N. 31 E 49 " "
 Land level & 1st rate. Timber. Oak & Hickory.

West On South Bound of Sec 31.
 11.73 A W Oak 8 in. diam.
 40.00 Set a 2^d Sec Post from which

T30 N. R. 6. E. 2nd Mer. Indiana.

455

- a Y. Oak 14 in^s diam. bears N 12 W 43 links dist &
 a W. Oak 5 " " " N 75 E 16 " "
 48.00 Enter Wet Prairie
 69.50 Intersect the Range line or West Boundary 498 links
 South of the Post (Temp) Set Iron Corner from which
 a W. Oak 26 in^s diam. bears S 78 E 16 links dist &
 a B. Oak 8 " " " N 80 W 01 " "
 Land Rolling and 2nd rate, Timber. Oak. & Hick.
 Oct 6th 1833.

- East Boundary
- North On East Boundary of Sec 36, Var. 5 45 E
 32.24 A W. Oak 16 in^s diam.
 40.00 Set a 2nd Sec Post from which
 a W. Oak 20 in^s diam. bears N 50 W 81 links dist &
 a Do 18 " " " S 39 N 02 " "
 47.50 A Brook 10 links wide. Course S W
 63.39 A Sugar 12 in^s diam.
 80.00 Set a Post Corner to Sec. 25 & 36 from which
 an Ironwood 7 in^s diam. bears S 39 W 17 links dist &
 an Elm 8 " " " N 5 W 7 " "
 Land level & the South & 2nd rate Timber. Oak.
 North & 1st rate. Timber. Oak. Ash. Elm. Sugar.
 Elm. Buck. B Walnut & Ironwood. Undergrowth
 much the same.

- North On East Boundary of Sec 25.
 19.18 A Maple 10 in^s diam.
 40.00 Set a 2nd Sec Post from which
 an Ironwood 6 in^s diam. bears S 44 W 14 links dist &
 a Do 4 " " " N 29 W 34 " "
 57.00 A Brook 6 links wide Course East.
 62.84 A Red Oak 16 in^s diam.
 80.00 To a Buck 20 " " Corner to Sec. 24 & 25.
 Land the same as last mile.

T. B. N. B. C. E. 2nd Mer. Indiana.

North On East Boundary of Sec 24.
 12. 60 A Brook 5 links wide Course East.
 18. 53 A W. Oak 16 in. diam.
 14. 00 Set a qz the Post from which
 an Elm in diam. bears S 8 W 20 links dist &
 a Sugar 6 " " " N. 36 W 22 " "
 60. 11 A Buck 16 " "
 80. 00 Set a Post Corner to Sec. 13 & 24 from which
 a Buck 14 in. diam. bears N 87 W 107 links dist &
 an Elm 7 " " " S 44 W 27 " "
 Land the same Oct 7th 1833

North On East Boundary of Sec 13.
 3. 50 A Brook 6 links wide Course S E.
 15 81 A Buck 12 in. diam.
 40. 00 Set a qz Sec Post from which
 a Sugar 6 in. diam. bears N 19 W 22 links dist &
 a Buck 16 " " " S 71 W 43 " "
 61. 92 A Qz 15 " "
 80. 00 Set a Post Corner to Sec. 12 & 13 from which
 a Sugar 12 in. diam. bears N. 21 W. 48 links dist &
 a Buck 18 " " " S 63 W 24 " "
 Land the same as last mile.

North On East Boundary of Sec 12.
 20. 40 An Elm 24 in. diam.
 40. 00 Set a qz the Post from which
 a Buck 8 in. diam. bears N. W 43 links dist &
 an Elm 18 " " " S 28 W 40 " "
 60. 07 A Buck 8 " "
 80. 00 Set a Post Corner to Sec. 1 & 12 from which
 a Sugar 20 in. diam. bears N 32 W 40 links dist &
 a Buck 18 " " " S 21 W 41 " "
 Land the same as last mile

North On East Boundary of Sec 1.

T 30 N. R 6 E 2nd Mer. Indiana.

457

- 26.14 A Buck 14 in. diam.
 40.00 Set a q^r Sec Post from which
 a Buck 20 in. diam. bears N 35 W 19 links dist. &
 a Dr 18 " " " S 23 W 32 " "
 59.81 A Sugar 25 " "
 80.00 Set a Temp^y Town Corner.
 Land the same as last mile.

North Boundary. Var. 5' 15" E

- Notes On South Boundary of Sec. 30. T 31 N. R 6 E.
 40.00 Set a q^r Sec Post from which
 a Buck 20 in. diam. bears N 4 E 17 links dist. &
 a White Wood 10 in. diam. bears N 80 1/2 W 40 links dist.
 01.00 A Sugar 20 " " "
 80.00 Set a Post Corner to Sec. 35 & 36 from which
 a B. Ash 10 in. diam. bears N 45 E 57 links dist. &
 a Buck 10 " " " N 62 W 46 " "
 Land level & 1st rate. Timber. Oak. Elm. Ash. Sugar.
 Lynn &c. Undergnd same.

- Notes On South Boundary of Sec. 35 T 31 N R 6 E.
 08.08 A W. Oak 24 in. diam.
 29.00 Enter Tamarac Swamp.
 40.00 Set a q^r Sec Post from which (in swamp)
 a Tamarac 6 in. diam. bears N 65 W 31 links dist. &
 a Dr 10 " " " N 58 E 30 " "
 42.00 Leave the Swamp.
 60.35 A Sugar 8 in. diam.
 80.00 Set a Post Corner to Sec. 34 & 35. from which
 a Sugar 10 in. diam. bears N 64 E 30 links dist. &
 a Ironwood 9 " " " N 11 W 18 " "
 Land the same as last mile.

- Notes On South Boundary of Sec. 34 T 31 N R 6 E.
 20.09 A W. Oak 20 in. diam.
 37.00 Intersect the South Margin of a small Lake

Twp A. R. 6 E 2nd Mer Indiana

Offset North 6.00

West 9.00

South 6.00

q² Sec Corner in Lake

Reduced Offset.

46.00 Fill into line on the West side of Lake

50 79 A W. Oak 10 in. diam.

50.00 Set a Post Corner to Sec. 33 & 34 from which
a Birch 20 in. diam. bears N 52 W 30 links dist. &
an ~~unknown~~ 6 " " N 73 E 25 " "

Land is much the same. Marshy about the Lake.

West On South Boundary of Sec 33 T 31 N. R. 6 E

24.74 A White Wood 30 in. diam.

45.00 Set a q² Sec. post from which

a Birch 10 in. diam. bears N 63 W 22 links dist. &

a Spruce 12 " " " N 30 E 20 " "

51 21 A W. Oak 24 in. diam.

54 50 Enter West Prairie

80.00 Set a Post Corner to Sec. 32 & 33 in Prairie from which

a W. Oak 12 in. diam. bears N 70 E 310 links dist. &

a Do 10 " " " N 80 E 371 " "

Land is much as before.

West On South Boundary of Sec 32, T 31 N. R. 6 E

15.00 Leave West Prairie

22 76 An Elm 18 in. diam.

45.00 Set a q² Sec. post. from whicha ~~Spruce~~ 10 in. diam. bears N 66 E 8 links dist. &

an Elm 15 " " " N 78 W 25 " "

51.12 A W. Oak 8 in. diam.

80.00 Set a Post Corner to Sec. 31 & 32. from which a

Birch 10 in. diam. bears N 21 W 9 links dist. &

an Elm 8 " " " N 80 E 25 " "

Land is similar.

West On South Boundary of Sec 31 T 31 N. R. 6 E,

18 09 A Cherry 8 in. diam.

- 37 00 Intersect the East Margin of a small Lake.
 Offset North 400
 West 7.50 to Sec. Cor. in Lake.
 South 400 Reduced Offset.
 44.50 Fell into line on the West side of Lake
 62.43 Intersect the West Boundary 1 chain & 29 links North
 of Timp's Town Corner. Set a Post from which
 an Elm 10 in diam. bears S 65 E 38 links dist. and
 a White Wood 22 in diam. bears N 27 E 35 " "
 Land generally rolling & 2nd rate Timber. Oak. Ash. Elm.
 Ironwood. Boxwood & Thorn. Undergrowth same.
 Marshy about Lake.

- West Boundary var. 5' 10" E
- North On East Boundary of the 36. T30. N. R. 5. E.
 2.50 Enter Marsh
 9.50 Leave same
 26.04 A Hickory 8 in diam.
 40.07 Set a gr Sec. Post from which
 a W Oak 14 in diam. bears N 88 W 91 links dist. &
 a Do. 11 " " " N 17 W 75 " "
 54.14 A W Oak 18 " "
 67.57 Find mostly West line.
 Offset East 5 chains
 " North 9.50 links
 " West 5. chains back into line.
 77 00 Fell in with line
 80.00 Set a Post Corner to Sec. 25 & 36 from which
 a B. Oak 20 in diam. bears S 45 W 11 links dist. &
 a Do. 22 " " " S 45 W 20 " "
 Land Rolling & 2nd rate Thinly timbered with
 oak & Hickory. Ground Pond Marshy.

- North On East Boundary of the 25. T30. N. R. 5. E.
 22 47 A B. Oak 10 in diam.
 40.00 Set a gr Sec. Post from which

T 30. N. P. 6. E 2nd Mer Indiana.

- W. Oak 17 in. diam. bears S 45° W 18 links dist. & a
 Do 18 " " " S 6° W 18 " "
 34.00 A Brook 3 links wide Course S W.
 58.05 S W Ash 16 in. diam.
 70.50 Another Brook 2 links wide. Course S W.
 85.00 Set a Post Corner to Sec. 24 & 25 from which
 a Buck 6 in. diam. bears S 40° W 81 links dist. &
 a Do 7 " " " S 48° W 32 " "
 Land Rolling. South p. 2nd rate. Timber Oak.
 North p. 1st rate. Timber. Oak. Ash. Buck. & Elm.

- North On East Boundary of Sec. 24. T 30 N P 5 E.
 5.50 A Brook 2 links wide. Course West.
 14.10 A Sugar 8 in. diam.
 27.60 An Elm 14 " "
 28.50 Another run 2 1/2 links wide E. W.
 40.00 Set a gr. the Post from which
 a B. Oak 16 in. diam. bears S 49° W 39 links dist. &
 a Buck 5 " " " S 16° W 9 " "
 49.70 S W Oak 10 in. diam.
 52.50 A Brook 4 links wide. Course S W.
 67.40 A Buck 18 in. diam.
 80.00 Set a Post Corner to Sec. 13 & 24 from which
 a White Wood 20 in. diam. bears S 26° W 66 links dist. &
 a B. Oak 4 " " " S 11° W 29 " "
 Land rolling & 1st rate Timber. Oak. Ash. Elm. Spruce
 Ironwood & White Wood. Undergth same

- North On East Boundary of Sec. 13. T 30. N. P. 5. E.
 3.20 A Brook 2 links wide. Course S W.
 25.00 S W Ash 26 in. diam.
 40.00 Set a gr. the Post from which
 a Sugar 6 in. diam. bears S 26° W 20 links dist. &
 a Buck 20 " " " S 79° W 28. " "
 58.88 S W Ash 8 " "
 63.00 Enter Millen Swamp.

T 30 N. R 6 E 2nd Mer. Indiana

461

- 58.00 Leave the Swamp
 59.00 Set a Post Corner to Sec. 12 T3 from which
 an Elm 15 in. diam. bears S 20° W 22 links dist. &
 a Blue Ash 7 " " " N. 30° W 43 " "
 Land &c same as last mile

- North On East Boundary of Sec. 12 T 30 N. R 6 E.
 21.00 A Brook 2 links wide. Course S W.
 22.44 A Blue Ash 8 in. diam.
 36.00 Another Brook 2 links wide. Course S. W.
 40.00 Set a q^r Sec. Post from which
 a W. Oak 8 in. diam. bears S 40° W 17 links dist. &
 an Ironwood 6 in. " " N 17° W 46 " "
 56.55 A W. Oak 5 " "
 76.50 A Muddy Stream 70 links wide. Course S W.
 80.00 Set a Post Corner to Sec. 12 T 32 from which
 a Sycamore 12 in. diam. bears S 10° W 33 links dist. &
 an Elm 8 " " " S 56° W 103 " "
 Land &c much the same. Marshy on the border of
 the Stream.

- North On East Boundary of Sec. 1. T 30 N. R 6 E.
 14.00 Enter Marsh
 18.00 South Margin of a Small Pond.
 Offset West 7 00
 " North 9 00
 " East 7 00 Reduced Offset.
 27.00 Fell onto line on the North side of Pond.
 30.00 Leave Marsh. & Enter grove of Timber
 40.00 Set a q^r Sec Post from which
 an Elm 9 in. diam. bears S 84° E 32 links dist. &
 a Q 11 " " " S 20° E 35 " "
 40.50 Re-Enter Marsh.
 44.53 Intersect the South Margin of Lake. Set a Post from
 which an Aspen 10 in. diam. bears S 2° E. 477 links dist. &
 a Q 7 " " " S 13° W 516 " "

T 30 N. R 6 E 2nd Mer. Indiana

Oppert West 800
 " North 13.67
 " East 8.00 Reduced Oppert.
 53.50 Fall into line on the North side of Lake.
 Set a Post from which
 a W Oak 12 in. diam. bears N 11 $\frac{1}{2}$ W 453 links dist. 8
 a Do 14 " " " N 28 $\frac{3}{4}$ W 369 " "
 54.00 Left the Marsh
 50.00 Jump^d Post.
 Land level & generally poor. Timbered over thin
 with Oak. Ash. & Elm, Surveyed by
 Sylvester Libbey, D. C.

	Subdivisions	Var. 6.25' 6
North	Between Sec. 35 & 36.	April 9 th 1834
20.77	A Sugar 16 in. diam.	
40.00	Set a q ^r the Post from which an Ash 6 in. diam. bears N. 66 W 6 links dist. 8 a Do 7 " " " S 80 E 13 " "	
53.00	An W Oak 22 in. diam.	
60.00	Set a Post Corner to Sec. 25 26 35 & 36. from which an W. Oak 14 in. diam. bears N 24 W 4 links dist. 8 an Elm 14 " " " S 13 W 21 " " Land rolling & rich. Timber. Sugar, Oak. Walnut Ash. &c.	

East On Random between Sec. 25 & 36.
 79.00 Intersect the E. Boundary 1.50 links North of Post.
 Land level & very close Undergth Timber. Maple.
 Elm. Sugar. Hickory

West Connected between Sec. 25 & 36.
 19.72 A Beech 22 in. diam.
 39.50 Set a q^r the Post at area dist. from which
 a Beech 15 in. diam. bears N. 45 W 39 links dist. 8
 a Do 10 " " " S 17 E 11 " "

T 30 N. R 6 E 2nd Mer. Indiana.

463

79 00 To Sec. Corner.

April 9th 1834.

North Between Sec. 25 & 26.

14.00 An Ash 16 in. diam.

40.00 Set a q^r Sec. Post from which
a Buck 19 in. diam. bears S 35 E 2 links dist, &
a Do 15 " " " N 22 E 10 " "

52.92 A Brook 20 links wide. Course S E.

65.87 An Elm 19 in. diam.

81.00 Set a Post Corner to Sec. 23 24. 25 & 26. from which
an Oak 20 in. diam. bears N 43 W 12 links dist, &
a Lym 8 " " " S 41 E 27 " "
Land good 2nd rate. Timber as last described

East On Ransom between Sec. 24 & 25.

79 10 Intersect the East Boundary 2.32 links N. of the Post.
Land & Timber same as last mile.

West Connected between Sec. 24 & 25.

39 55 Set a q^r Sec. Post from which
an Elm 20 in. diam. bears S 31 W 2 links dist, &
a Do 24 " " " N. 31 E 24 " "

59 15 A Buck 12 " "

79 16 To Sec. Corner.

North Between Sec. 23 & 24.

22.65 An Ash 10 in. diam.

40 00 Set a q^r Sec. Post from which
a Hickory 8 in. diam. bears N 10 W 7 links dist, &
a Do 8 " " " N. 8 E 15 " "

55.30 A Sugar 22 in. diam.

80.00 Set a Post Corner to Sec. 13. 14 23 & 24 from which
an Ash 8 in. diam. bears S 46 W 25 links dist, &
an Elm 15 " " " N. 46 W 30 " "

South 1/2 mile inclining to Mt. North 1/2 dry & rich
Timber. Sugar. Buck. Poplar. Lym. &c.

T^o N. R. & E. 2nd Mer. Indiana

East On Ransom between Sec. 13 & 24.

77.50 A Buck 8 links wide Corner S & E.

79.40 Intersect N & S line or East Boundary 270 North of Post.
Land rolling, & rich

West Connected between Sec. 13 & 24.

19.40 A Buck 24 in. diam.

39.70 Set a q^r Sec. Post from which
a Hickory 48 in. diam. bears S 3 W 12 links dist. &
an Ironwood 10 " " " N 44 W 16 " "

59.70 An Ash 36 " "

79.40 To the Corner.

North Between Sec. 13 & 14.

17.07 A Buck 12 in. diam.

40.00 Set a q^r Sec. Post from which a
Buck 12 in. diam. bears N 61 W 13 links dist. & an
Ironwood 10 " " " S 57 E 36 " "

67.30 A Buck 20 " "

80.00 Set a Post Corner to Sec. 11. 12. 13 & 14. from which
a Buckeye 12 in. diam. bears N 21 W 10 links dist. &
a Hickory 10 " " " S 21 E 12 " "
Land & Timber same as last mile

East On Ransom between Sec. 12 & 13.

79.50 Intersect East Boundary 205 links North of the Post.
Land &c same as last mile.

West Connected between Sec. 12 & 13.

19.75 A Buck 12 in. diam.

39.75 Set a q^r Sec. Post from which
a Buck 12 in. diam. bears S 55 W 17 links dist. &
a Do 14 " " " N 55 E 15 " "

59.75 An Ash 12 " "

79.50 To the Corner.

Apr. 10th 1834

T 30 N. R 5 E 2nd Mer. Indiana.

465

North Between Sec. 11 & 12

24 75 An Elm 11 in. diam.

40.00 Set a gr. Sec. Post from which

a Buckeye 12 in. diam. bears S 19 E 14 links dist. &

a Red Oak 15 " " " N 75 W 5 " "

70.70 A Buck 23 " "

80.00 Set a Post Corner to Sec. 1. 2 11 & 12 from which

an Ash 14 in. diam. bears N 54 W 22 links dist. &

a Buckeye 12 " " " S 11 E 18 " "

Land rolling & good 2nd rate except some wet swampy Land around the gr. Sec. Post which however is not of much extent

East On Random between Sec. 1 & 12.

72 80 A Brook 6 links wide Course South.

80.15 Intersect the E. Boundary 1.90 links North of the Post.

Land rolling & dry Soil rich Timber. Buck. Sugar. Asp. Poplar. Walnut. Elm. & Hickory. Undergrowth. Greenwood Water Buck Ash. Linn. & Pampas

West Connected between Sec. 1 & 12

40 07 1/2 Set a gr. Sec. Post at aver. dist. from which

a Poplar 24 in. diam. bears N 32 E 9 links dist. &

an Ironwood 6 " " " S 4 E 11 " "

60.32 An Ash 26 " "

80 15 To Sec. Corner.

North Between Sec. 1 & 2

17.40 An Ash 24 in. diam.

40.00 Set a gr. Sec. Post from which

a W. Oak 65 in. diam. bears S 59 W 11 links dist. &

a Do 65 " " " N 29 W 10 " "

50.00 A Swamp & wet Prairie about 10 chains wide extending E & W

60 47 An Elm 12 in. diam.

79 45 Intersect the North Boundary 30 links West of the

T. 30 N. R. 6 E 2nd Mer Indiana

Old Corner. Set a Post Corner of Sec. 1 & 2.
 From which a
 Buck 10 in. diam. bears S 69 W 20 links dist & a
 Do 13 " " " S 59 E 13 " "
 Good Land except the swamp. Timber, as last mile

North Between Sec. 34 & 35

10.14 A Buck 10 in. diam.

40.00 Set a gr. Sec. post from which
 an W. Oak 12 in. diam. bears N 54 E 21 links dist &
 a Do 24 " " " S 11 W 16 " "

58.43 A Buck 10 " "

80.00 Set a Post Corner to Sec. 26. 27 34 & 35 from which
 an Ash 10 in. diam. bears S 9 E 22 links dist &
 a Do 12 " " " S 73 W 17 " "
 Land 2nd rate.

East On Random between Sec. 26 & 35

79.20 Intersect N & S line 60 links North of the Post
 Land good 2nd rate

West Connected between Sec. 26 & 35

16.50 A W. Oak 30 in. diam.

39.00 Set a gr. Sec. post from which a
 Buck 18 in. diam. bears S 34 E 10 links dist & a
 Do 10 " " " N 61 W 24 " "

00.04 An Ash 22 in. diam.

79.20 To Sec. Corner.

North Between Sec. 26 & 27

24.30 An W. Oak 20 in. diam.

46.00 Set a gr. Sec. post from which
 a W. Oak 30 in. diam. bears N 71 W 19 links dist &
 a Do 30 " " " S 39 W 15 " "

07.11 A W. Oak 20 " "

71.00 A Brook 30 links wide. Course S 8

T^o N. P. O. Co. Ind. Mu. Indiana.

467

80.00 Set a Post Corner to Sec. 22, 23, 26 & 27 from which
an Ash 10 in. diam. bears N 67 W 11 links dist 8
an Elm 15 " " " S 6 E 11 " "
Land 2nd rate. Timber, Oak, Buck, Ash, Sugar,
Hickory, Poplar, &c.

East On Random between Sec. 23 & 26.
79.23 Intersect N & S line 206 links North of the Post.
Land & Timber as last described

West Corrected between Sec. 23 & 26.
18 10 A Maple 10 in. diam.
39 6 1/2 Set a q. Sec Post at aver. dist. from which
a Buck 24 in. diam. bears N 53 W 26 links dist 8
a Buckeye 12 " " " N 55 E 8 " "
59.81 A Buck 22 " "
79.23 To Sec. Corner

North Between Sec. 22 & 23
19.68 A Poplar 86 in. diam.
40.00 Set a q. Sec Post from which a
Lynn 10 in. diam. bears N 78 E 8 links dist 8 a
Do 7 " " " S 38 W 23 " "
64.80 A Buck 24 " "
80.00 Set a Post Corner to Sec. 14, 15, 22 & 23 from which
a Buck 10 in. diam. bears N 62 W 9 links dist 8
a Do 12 " " " N 87 E 32 " "
Land good 2nd rate. Timber as before except that
there is more Oak.

East On Random between Sec. 14 & 23.
79 40 Intersect the N & S line 210 links North of the Post.
Land & Timber same as last mile

West Corrected between Sec. 14 & 23
19.25 A Hickory 22 in. diam.

T 30 N. R 6 E 9th Mer. Indiana

- 39.70 Set a qz Sec Post from which
 a Beech 15 in. diam. bears N 73 E 18 links dist &
 a Do 12 " " " S 47 W 20 " "
- 59.50 In Apr 10 " "
- 79.40 To Sec. Corner.

North Between Sec. 14 & 15.

28.78 A Poplar 24 in. diam.

- 40.00 Set a qz Sec Post from which
 a Beech 16 in. diam. bears N 88 E 16 links dist &
 a Do 24 " " " S 67 W 20 " "

50.00 Set a Post Corner to Sec. 10 11. 14 & 15 from which
 a Beech 10 in. diam. bears N 18 W 17 links dist &
 a Do 20 " " " S 23 E 14 " "

Land & Timber same

East On Random between Sec. 11 & 14

- 79.50 Intersect the N & S line 109 links North of the Post.
 Land 2nd rate Timber. Oak & Hickory. Poplar.
 Beech. Sugar. Elm & Ironwood. Undergrowth
 Ironwood. Dogwood. Elm. Hickory, &c.

West Corrected between Sec. 11 & 14

19.80 A W. Oak 24 in. diam.

- 39.75 Set a qz Sec Post from which
 a Willow 8 in. diam. bears N. 40 E. 7 links dist &
 an Ash 8 " " " N. 60 W. 5 " "
- This Post in small Willow Swamp

50.00 A Poplar 12 in. diam.

79.50 To Sec. Corner. Apr. 11th 1834

North Between Sec. 10 & 11.

- 40.00 Set a qz Sec Post from which
 a W Oak 36 in. diam. bears N 7 W 17 links dist &
 a Do 22 " " " N 82 E 17 " "
- 62.30 A Poplar 24 " "

T 30 N. R 6. E 2nd Mer. Indiana.

469

80.00 Set a Post Corner to Sec. 2. 3. 10 AM. from which
a Millen 4 in. diam. bears N 76 W 34 links dist. &
a Do 1 " " " N 6 W 67 " "
This post in Swamp.
Land Rolling then 2nd rate.

East On Random between Sec. 2 AM.

80.00 Intersect N & S line 1.05 links South of the Post
East 1/2 mile good Land. West 1/2 mile more Oak timber
& thin soil.

West Connected between Sec. 2 AM.

13.23 A W. Oak 45 in. diam.

40.00 Set a q. Sec. Post from which
an Elm 24 in. diam. bears N 32 W 21 links dist. &
a W. Buck 8 " " " S 12 E 18 " "

60.20 A Cherry 8 " "

80.00 To Sec. Corner.

North Between Sec. 2 & 3. Enter Swamp.

27.90 A Tamarac 22 in. diam.

40.00 Set a q. Sec. Post from which
an Elm 12 in. diam. bears S 16 E 9 links dist. &
a W. Oak 14 " " " N 13 W 19 " "

45.00 Leave the Swamp.

62.90 An Ash 20 in. diam.

79.90 Intersect the North Boundary 1.25 links West of Old
Corner. where set a Post Corner to Sec. 2 & 3.

from which

a Buck 20 in. diam. bears S 50 E 28 links dist. &

a Do 6 " " " S 18 W 30 " "

North 1/2 mile good Land, Timber on the South 1/2
is exclusively Tamarac.

North Between Sec. 33 & 34

00.20 A Brook 25 links wide. Course S E.

T30 N. P. 6 E 2nd Mer. Indiana.

16 40 A. W. Oak 22 in. diam.

40.00 Set a gr. Sec. post from which
a W. Oak 30 in. diam. bears N 30 E 11 links dist &
a Do 20 " " " S 30 W 17 " "

61.94 A Hickory 12 " "

80.00 Set a Post Corner to Sec. 27 28 33 & 34 from which
an W. Oak 12 in. diam. bears S 70 E 6 links dist &
a W Oak 18 " " " N 50 W 29 " "
Rolling poor Oak Barrens.

East On Random between Sec. 27 & 34

80.50 Intersect N & S line 170 links North of the Post
Land level & 2nd rate. Timber. Oak. Hickory. Ash
Beech &c. Undergr. Dogwood. Ironwood & Hazel.

West Connected between Sec. 27 & 34

12 74 A Hickory 22 in. diam.

40 25 Set a gr. Sec. post at aver. dist from which
an W. Oak 22 in. diam. bears S 28 W 7 links dist &
a Cherry 20 " " " N 28 E 31 " "

80 50 To Sec. Corner.

North Between Sec. 27 & 28

20 54 A Hickory 13 in. diam.

40.00 Set a gr. Sec. post from which
an Ash 20 in. diam. bears S 32 W 29 links dist &
a W Oak 11 " " " N 41 E 25 " "

60 55 A Poplar 24 in. diam.

80.00 Set a Post Corner to Sec. 21. 22. 27 & 28 from which
a Water Beech 11 in. diam. bears N 54 W 13 lks dist &
a Hickory 7 " " " S 12 E 22 " "
South 1/2 mile poor. Timber Oak. North 1/2 mile
rich. Timber. Sugar. Walnut. Beech. Oak.
Ash. Elm. &c.

East On Random between Sec. 22 & 27

T 30 N. R 6. E 2nd Mer. Indiana

471

41. 77 A Brook 15 links wide. Course S E.
 80 57 Intersect the N & S line 1.70 links North of the Post.
 Land part 2nd & part 3rd rate. Timber as before.

- Note Connected between Sec. 22 & 27.
 20 37 An Elm 20 in. diam.
 40 28¹/₂ Set a gr. Sec. post at aver. dist. from which
 an Elm 11 in. diam. bears S 17° W 10 links dist. &
 an Ironwood 7 in. " " N 16° W 14 " "
 07 77 A Poplar 11 " "
 80 57 To Sec. Corner.

- North Between Sec. 21 & 22
 17 00 A Brook 20 links wide. Course S E
 29. 61 A Poplar 110 in. diam.
 35. 00 A Brook 20 links wide. Course West
 110 00 Set a gr. Sec. post from which
 a Poplar 30 in. diam. bears N 84° W 8 links dist. &
 an Ironwood 10 " " " S 51° E 20 " "
 54 31¹/₂ in. No Oak 50 " "
 57 54 A Brook 20 links wide. Course S E
 73 50 A Do 20 " " " Note
 50. 00 Set a Post corner to Sec. 15 & 16 21 & 22. from which
 a B. Ash 21 in. diam. bears N 80° W 18 links dist. &
 a Lyrn 5 " " " S 57° E 8 " "
 Land rolling & good. Timber. Oak. Ash. Elm. Sugar
 Walnut. Poplar. Beech. Undergth. Ironwood. Chocwood.
 Hickory. Lyrn. &c

- East On Random between Sec. 15 & 22.
 19 14 A Brook 15 links wide. Course South.
 80. 00 Intersect the N & S line 55 links North of the Post.
 Land & Timber same as last mile

- Note Connected between Sec. 15 & 22.
 20 40 A Poplar 20 in. diam.

T 30 N. R. 6. E. 2nd Mer. Indiana.

40.30 Set a gr Sec post at aver. disty from which
 a Buck 24 in. diam. bears S 79 E 27 links disty &
 a Sugar 20 " " " S 69 W 41 " "
 56.93 An Elm 11 " "
 80.00 To Sec Corner.

North Between Sec. 15 & 16

14 91 An R Oak 50 in. diam.

24 50 A Brook 15 links wide. Course SE.

40.00 Set a gr Sec post from which
 a W Oak 30 in. diam. bears N 7 E 7 links disty &
 an R Oak 50 " " " S 7 W 31 " "

74 00 A Poplar 30 " "

80 00 Set a Post Corner to Sec. 9 10 15 & 16 from which
 an Ash 12 in. diam. bears N 4 W 8 links disty &
 a Do 6 " " " S 24 E 11 " "
 Land Rolling & rich. beautiful. Timber same
 as last mile.

East On Random between Sec. 10 & 15

50.90 Intersect N & S line 50 links North of the Post.
 Land on the West 1/2 mile good. East 1/2 swampy.

West Corrected between Sec. 10 & 15

22.13 A Buck 24 in. diam.

40 45 Set a gr Sec. post at aver. distance on true line from which
 an Ash 8 in. diam. bears S 69 E. 24 links disty &
 a Do 10 " " " S 79 W. 22 " "

61.30 A Buck 22 in. diam.

80.90 To Sec. Corner

North Between Sec. 9 & 10

21.34 A Sugar 24 in. diam.

40.00 Set a gr Sec post from which
 an Elm 10 in. diam. bears N 60 E 18 links disty &
 a Buck 8 " " " S. 81 W. 20 " "

473

T 30 N. R 6 E 2nd Mer. Indiana

- 50 55 A Brook 12 links wide. Course S W.
 55 50 A Buck 12 in. diam.
 50. 00 Set a Post Corner to Sec. 3 & 4. 9 410 from which
 an Elm 8 in. diam. bears N 30 W 11 links dist. &
 an Ash 18 " " " S 85 E 11 " "
 Land level & rich. Timber as before.

Apr 14th 1834

- East On Random between Sec. 3 & 4
 50. 60 Intersect the N & S line 50 links North of the Post.
 Last 50 chains. totally in swamp.

- Note Connected between Sec. 3 & 4
 40. 30 Set a q^r Sec post at aver. dist. from which
 an Ash 11 in. diam. bears N 75 W 21 links dist. &
 a Dr 7 " " " N 51 W 15 " "
 73. 30 An Aspin 22 in. diam.
 50 60 To Sec. Corner.

- North Between Sec. 3 & 4.
 0. 95 A W Oak 30 in. diam.
 30 00 Wind-fall Course E & W.
 40. 00 Set a q^r Sec post from which
 a Lym 17 in. diam. bears S 80 E 7 links dist. &
 an H. Oak 16 in. " " S 77 W 9 " "
 51 18 A Poplar 36 " "
 50 90 Intersect the North Boundary 21 links East of old
 Corner. where set a Post Corner to Sec. 3 & 4. from which
 a Buck 24 in. diam. bears S 45 E 43 links dist. &
 a Dr 18 " " " S 50 W 63 " "
 Land Rolling & rich. Timber. Sugar Oak. Ash.
 Poplar. Elm &c. Underg^t Ash Buck Hickory,
 Elm. & Lym.

- North Between Sec. 32 & 33
 32. 00 A W Oak 34 in. diam.

To N. R. O. E. Dr. Mer. Indiana.

- 37.50 Enter Wet Prairie
 39.40 A Brook 8 links wide. Course S.E.
 40.00 Set a qz Sec Post from which
 a W. Oak 20 in. diam. bears S 4 W 2.84 links dist &
 a Do 24 " " " N 27 E 2.88 " "
 53.50 Left Prairie
 64.20 A W Oak 20 in. diam.
 70.80 A Brook 7 links wide. Course S.E.
 80.00 Set a Post Corner to Sec. 28, 29, 32 & 33. from which
 an W. Oak 20 in. diam. bears S 72 E 46 links dist &
 a Do 24 " " " N 54 W 10 " "
 thin soil. Oak Timber. No Undergr.

East On Random between Sec. 28 & 33
 79.92 Intersect the N & S line 76 links North of the Post
 Poor Land. Timber Oak.

- West Connected between Sec. 28 & 33.
 14.10 An Aspin 20 in. diam.
 39.90 Set a qz Sec Post from which
 a Hickory 30 in. diam. bears S 80 E 13 links dist &
 an W Oak 22 " " " N 2 W 40 " "
 61.62 A Hickory 20 " "
 79.92 To Sec. Corner

- North Between Sec. 28 & 29.
 18.30 An Elm 24 in. diam.
 40.00 Set a qz Sec Post from which
 an W. Oak 24 in. diam. bears N 17 E 29 links dist &
 a W. Oak 30 " " " S 75 W 40 " "
 57.27 An Elm 12 " "
 80.00 Set a Post Corner to Sec. 20, 21, 28 & 29. from which
 a W. Oak 40 in. diam. bears S 49 E 70 links dist &
 a Blk Oak 45 " " " N 37 W 70 " "
 Land. Rolling & poor. Oak Timber, interspersed with
 small wet Prairie. Undergr. Lefsefras & Hazle

T31 N. R6 E 3rd Mer. Indiana.

475

East On Random between Sec. 21 & 28.
80 00 Intersect the N & S line 1.30 links North of the Post
Timber Oak

West Corrected between Sec. 21 & 28
20 00 A W. Oak 14 in. diam.
40. 00 Set a qz Sec. post from which
a Sycamore 30 in. diam. bears N 63 E 22 links dist. &
a W. Oak 30 " " " S 8 E 22 " "
60. 50 A D. 36 " "
80 00 To Sec. Corner Apr. 15th 1831

North Between Sec. 20 & 21.
24. 00 A Sycamore 22 in. diam.
40. 00 Set a qz Sec. post from which
a W. Oak 20 in. diam. bears S 34 E 17 links dist. &
a D. 33 " " " N 22 W 19 " "
60. 00 An H Oak 20 " "
80. 00 Set a Post Corner to Sec. 16 17 20 & 21 from which
a Hickory 14 in. diam. bears N 19 E 34 lks dist. &
a W. Oak 20 " " " S 24 W 35 " "
Poor Oak Land. Sapafus Haze & Hickory

East On Random between Sec. 16 & 21.
10 40 A Birch 5 links wide. Course South
48 50 A D. 6 " " " S E.
80 10 Intersect N & S line 32 links North of the Post.
The 1st 25 chains is in Wet Prairie & Willow Swamp
Oak Timber & poor Land except the East qz.

West Corrected between Sec. 16 & 21
20, 24 A W. Oak 10 in. diam.
40. 05 Set a qz Sec. post at area. dist. from which
a Cottonwood 9 in. diam. bears N 3 E 60 links dist. &
a Willow 8 " " " S 76 W 63 " "
80. 10 To Sec. Corner

T 30 N. R 0. E 2nd Mer. Indiana

North Between Secs 10 & 11

29. 00 A W. Oak 36 in. diam.

40. 00 Set a gr. Sec post from which
an Elm 12 in. diam. bears S 59 W 23 links dist &
an Ash 10 " " " N 24 E 29 " "

50. 00 Set a Post-Corner to Secs 8, 9, 10 & 11 from which
a W Oak 30 in. diam. bears N 23 W 21 links dist &
a Do 17 " " " N 52 E 37 " "

Land Rolling South 1/2 mile from 8 Oak Timber
North 1/2 mile 2nd rate. Timber. Oak. Sugar. Ash.
Hickory &c. Undergr. Hazle & Sassafras.

East On Random between Secs 9 & 10

20. 00 A Brook 10 links wide. Course South

79 50. Intersect the N & S line 84 links North of the Post.
Land Rolling & good. Timber. Buck Sugar. Ash.
Oak. Hickory. Elm &c. Undergr. Ironwood. Buck
Elm. Linn. Hickory &c.

Note Connected between Secs 9 & 10

18. 70 An Ironwood 9 in. diam.

39. 78 Set a gr. Sec post at aver. dist from which
a Linn 10 in. diam. bears N 10 W 29 links dist &
a Buck 18 " " " S 38 E 20 " "

60 37 Ash 16 in. diam.

79 50 To Sec. Corner.

North Between Secs 8 & 9

23. 50 A Hickory 20 in. diam.

40. 00 Set a gr. Sec post from which
an Ash 20 in. diam. bears S 23 W 10 links dist &
a Buck 14 " " " N 23 E 20 " "

62. 40 An Ash 20 " "

80. 00 Set a Post-Corner to Secs 4, 5, 8, & 9 from which
an Ironwood 10 in. diam. bears N 41 W 30 links dist &
a Do 8 " " " S 61 E 88 " "

T 30 N. R. 6. E. 2nd Mer. Indiana

477

Land Rolling, South $\frac{1}{2}$ mile good. North $\frac{1}{2}$ mile thin soil Timber. Oak mostly.

East On Random between Sec. 4 & 9
79.20 Intersect the N & S. line 100 links South of the Per.
Land & Timber as last mile

West Corrected between Sec. 4 & 9.
19.15 A Hickory 24 in. diam.
39.60 Set a gp. Sec post at aver. dist. from which
an Elm 11 in. diam. bears N 73° W 19 links dist. &
an Ironwood 8 in. " " S 64° E 20 " "
67.50 An Elm 13 " "
79.20 To the Corner.

North Between Sec. 4 & 5
15.90 An Ash 18 in. diam.
40.00 Set a gp. Sec post from which
a Beech 20 in. diam. bears N 54° E 43 links dist. &
a Do 30 " " " S 29° W 12 " "
65.00 Enter Wet Prairie
81.07 Intersect the North Boundary in Prairie 1.50 links
East of old Corner. Set a Post Corner to Sec. 4 & 5.
from which
a W. Oak 11 in. diam. bears S 77° E 2.41 links dist.
& a Do 18 " " " N 56° E 186 " "
Land Rolling, & 2nd rate Apr. 16th 1884

North Between Sec. 31 & 33.
18.80 An R. Oak 10 in. diam.
21.00 Enter Wet Prairie
40.00 Set a gp. Sec post from which
a W. Oak 36 in. diam. bears N 63° E 1.61 links dist. &
a Do 24 " " " N 16° W 1.22 " "
40.50 Left Prairie
54.26 A Walnut 24 in. diam.

T^o N. P. O. E. 2nd Mer. Indiana

80.00 Set a Post Corner to Sec. 29 30. 31 & 32 from which
 an H Oak 24 in. diam. bears S 11 E 42 lks. dist &
 a Hickory — " " " S 87 W 35 " "
 Timber. Oak. no undergrowth

East On Random between Sec. 29 & 32

67.43 A Brook 8 links wide. Course South

79.93 * Intersect N. & S line 34 links South of the Post.

West Connected between Sec. 29 & 32.

22.10 A W Oak 15 in. diam.

59.96 Set a gr. Sec Post at aver. dist from which
 an H Oak 24 in. diam. bears S 45 W 16 lks. dist &
 a Do 13 " " " N 40 E 20 " "

62.33 A Hickory 18 " "

79.93 To Sec. Corner.

* Land & Timber same as before

West On Random between Sec. 30 & 31.

69.24 Intersect N. & S line 70 links North of the Post.

Bearings for the Cor of Sec. 30 & 31.

a W Oak 20 in. diam. bears N 53 E 80 links dist &

a Do 24 " " " S 61 E 74 " "

High Barren ridge. poor Land

East Connected between Sec. 30 & 31.

4.40 A W Oak 24 in. diam.

29.24 Set a gr. Sec Post from which

a Black Oak 24 in. diam. bears N 75 W 20 lks. dist &

a " Do 24 " " " S 15 E 22 " "

50.04 A Hickory 20 " "

69.24 To Sec. Corner.

North Between Sec. 29 & 30

8.00 Enter met Prairie

22.50 Left same

T 30 N. R. 6 E. 2nd Mer. Indiana.

479

- 23.82 A W. Oak 24 in. diam.
 40.00 Set a gr. Sec. post from which
 a W. Oak 30 in. diam. bears S 33 W 90 links dist. &
 a Do 20 " " " N 20 E 90 " "
 59.95 A Brook 6 links wide. Course S.E.
 67.82 A W. Oak 10 in. diam.
 80.00 Set a Post Corner to Sec. 19 20. 29 & 30 from which a
 W. Oak 19 in. diam. bears N 79 E 23 links dist. & a
 Do 23 " " " S 70 W 30 " "
 Land Rolling & poor. Timber Oak. no Undergrowth.

East On a Random between Sec. 20 & 29.
 79.33 Intersect the N & S line 113 links North of the Post.
 Poor Oak Land.

- West Connected between Sec. 20 & 29.
 19.83 A Hickory 20 in. diam.
 39.60 Set a gr. Sec. post at area. dist. from which
 an Oak 24 in. diam. bears N 59 W 14 links dist. &
 an Ash 14 " " " N 87 E 22 " "
 61.41 A W Oak 22 " "
 79.33 To Sec. Corner.

West On Random between Sec. 19 & 30
 68.60 Intersect the West Boundary 44 links South of the
 Corner. Set a Post Corner to Sec. 19 & 30 from which
 a Poplar 50 in. diam. bears S 70 E 23 links dist. &
 a Do 33 " " " N 23 E 59 " "
 Land Rolling & poor. Barrens & small Prairie
 interspersed. no Underbrush. The West 1/2 mile
 begins to be heavy timber. & better Land.

- East Connected between Sec. 19 & 30
 28.00 Set a gr. Sec. post from which
 a Black Oak 50 in. diam. bears N 51 W 25 links dist. &
 an Ironwood 14 " " " S 18 E 29 " "

T^o N. P & E Quarter. Indiana

57.69 A W. Oak 21 in. diam.
 68.60 To Sec. Corner.

North Between Sec. 19 & 20

28.50 A W. Oak 19 in. diam.

40.00 Set a q^r. Sec post from which
 a W. Oak 36 in. diam. bears S 59 E 12 links dist &
 a D^o 30 " " " N 54 W 15 " "

58.00 An Ash 14 " "

80.00 Set a Post Corner to Sec. 17. 18. 19 & 20 from which
 an Elm 6 in. diam. bears N 2 W 40 links dist &
 a Millen 5 " " " N 11 E 00 " "

This Post in West side of Prairie
 South 1/2 mile from East Barrens. North 1/2 good Land
 Timber. Buck. Sugar. Ash. Elm. Hickory Walnut &c

East On Random between Sec. 17 & 20
 Enter West Prairie

16.50 Same same

80.00 Intersect the N & S line 1.80 links South of the Post.
 Land West. Swampy & Brushy.

West Corrected between Sec. 17 & 20

22.42 An Elm 12 in. diam.

40.00 Set a q^r. Sec post from which
 a Poplar 15 in. diam. bears N 83 E 21 links dist &
 a Sycamore 12 " " " S 62 W 24 " "

62.22 A Blk Oak 24 in. diam.

80.00 To Sec Corner.

West On Random between Sec. 18 & 19

57.50 Intersect the West Boundary 39 links South of Post
 Bearings for the Corner of Sec. 18 & 19

A Poplar 30 in. diam. bears N 58 E 32 links dist &
 a Blk. Oak 8 " " " N 16 E 27 " "

Land Rolling & moderate. Timber as before

T 30 N. R 6 E 2nd Mer. Indiana.

481

East Connected between Sec. 18 & 19
 8. 20 A Black Oak 40 in. diam.
 27. 50 Set a gr Sec. Post from which
 a Dogwood 7 in. diam. bears S. 55 W 11 links dist &
 a Hickory 11 " " " N 23 E 41 " "
 45. 50 A W Oak 28 " "
 57 50 To Sec. Corner. Apr. 17th 1834

North Between Sec. 17 & 18
 24 17 Left Prairie
 29 92 A W Oak 20 in. diam.
 40. 00 Set a gr Sec. Post from which (in Willen swamp)
 an Ash 8 in. diam. bears N. 26 E 20 links dist &
 a Willen 4 " " " S 12 E 16 " "
 56. 40 A Maple 22 " "
 80. 00 Set a Post Corner to Sec. 7. 8. 17 & 18 from which
 an Ash 10 in. diam. bears S 61 E 10 links dist &
 a Do 7 " " " N 12 W 34 " "
 Land on the South 1/2 mile from & West. North 1/2 mile
 Rolling & good.

East On Random between Sec. 8 & 17.
 50. 75 Intersect the N & S line 1. 50 links North of the Post.
 Land Rolling but interspersed with swamps
 Raining

West Connected between Sec. 8 & 17.
 21. 48 An Ash 16 in. diam.
 40. 37 1/2 Set a gr Sec. Post at aver. dist from which
 a W. Oak 30 in. diam. bears N 18 E 17 links dist &
 a Do 30 " " " S 19 E 25 " "
 75 68 A W Oak 22 " "
 80 70 To Sec. Corner.

West On Random between Sec. 7 & 18
 55. 00 Intersect the West Boundary 70 links South of the Post.

T 30 N. R 6 E 2nd Mer. Indiana

Bearings for the Corner of Sec. 7 48
 A Buck 18 in. diam. bears N 74 E 12 links dist &
 a Dr 16 " " " S 22 E 53 " "
 Land Rolling & very rich, Timber. Poplar. Oak.
 Walnut. Sugar. Elm. Undergth. Dogwood. Hickory
 Buck. Elm. Buckeye. &c.

East Corrected between Sec. 7 48?

0. 40 A Buck 50 in. diam.

25. 00 Set a 2nd Sec post from which
 a Buck 18 in. diam. bears N 60 E 10 links dist &
 an Ash 23 " " " S 41 N 47 " "

55. 30 An R Oak 23 in. diam.

65. 00 To Sec. Corner.

North Between Sec. 7 48

22. 20 A Buck 12 in. diam.

40. 00 Set a 2nd Sec post from which
 a Hickory 24 in. diam. bears N 20 N 24 lks dist &
 an Ironwood 12 " " " S 10 E 17 " "

51. 25 A Sycamore 33 " "

80. 00 Set a Post Corner to Sec. 5. 6. 7 48 from which
 an Elm 18 in. diam. bears N 42 E 40 links dist &
 a Dr 17 " " " S. 2 N 33 " "
 Land Rolling & rich Timber as last mile.

East On Random between Sec. 5 & 8.

80. 00 Intersect the N & S line 1. 31 North of the Post.
 Land level & poor 2nd rate.

West Corrected between Sec. 5 & 8.

22. 80 A Buck 24 in. diam.

40. 33 Set a 2nd Sec. post at aver. dist. from which
 an Elm 15 in. diam. bears S 73 N 27 links dist &
 a Hickory 12 " " " N. 63 E 21 " "

69. 53 A Poplar 60 " "

50 00 To Sec. Corner.

West On Random between Sec. 6 & 7.
 52.00 Enter Prairie
 64.00 A Deep mirey Brook 30 links wide. Course S W.
 85.00 Intersect the West Boundary 30 links South of the Corner
 Bearings for the Corner of Sec. 6 & 7.
 An Aspin 8 in. diam. bears N 68 E 10 links dist &
 an Elm 10 " " " S 19 E 27 " "
 Land Rolling & rich

East Connected between Sec. 6 & 7
 25.00 Set a qz. Sec. post from which
 a W. Oak 26 in. diam. bears S 44 W 25 links dist &
 a Dr 17 " " " N 7 E 18 " "
 44 80 A Poplar 60 " "
 65 00 To Sec. Corner.

North Between Sec. 5 & 6.
 24.57 An Elm 18 in. diam.
 39 00 A Brook or Spring Branch Crs. N W.
 40 00 Set a qz. Sec. post from which
 an Ash 19 in. diam. bears S 67 E 4 links dist &
 an Elm 15 " " " N 48 W 14 " "
 59 65 A Poplar 30 " "
 81 73 Intersect North Boundary 1.18 links West of the Post
 Set a Post Corner to Sec. 5 & 6. from which
 a Poplar 22 in. diam. bears S 45 E 34 links dist &
 a Beech 18 " " " S 74 W 44 " "
 Land Rolling & rich Apr. 18th 1834.

The East p. of this Township is very fine Land
 The West p. inclines more to Oak timber which mostly
 grows on poor land The N W part likewise, gives the
 head of some Water courses which invariably have
 their source from swamps. This Township I have

T 30 N. R 6 E 2nd Mer. Indiana

to subdivide at a higher variation than is given
for the East Boundary Variation given 5.45'
Subdivided at 6.25'

Meanders of a Lake in Sec 6.

Beginning at the Corner on the line between Ranges
5 & 6 on the North side of Lake Thence

Courses	Distances.	Remarks.
N 62 E	17.00	In Sec 6. & Mt Prairie
East	8.00	High Land. Oak Timber
N 56 E	8.50	Mt Prairie
N 37 E	10.00	Timbered Land
S 63 E	9.00	Mt Prairie
S 30 E	5.00	
S 5 W	9.00	in edge of Timber
S 17 E	3.50	
S 19 W	20.50	At M. 40 An Inlet 10 links wide from East.
S 14 E	4.00	
S 38 E	7.00	
S 16 W	8.50	At 8.70 An Inlet 15 links wide from S.E.
S 59 W	5.50	
N 72 W	11.00	
N 54 W	12.50	
N 20 W	8.50.	
N 57 W	11.54	To Corner on Range line South side of Lake.

Surveyed by
John Hendricks.
Exp. Surveyor.

To A. B. & Co. & Co. Indiana.

485

I hereby Certify that in pursuance of a Contract with
Micajah T. Williams Surveyor General of the United
States for the States of Ohio & Indiana and the Terri-
tory of Michigan, bearing date the 27th day of Dec.
1833. And in strict Conformity to the laws of the
United States and the instructions of Said Surveyor
General, I have surveyed and subdivided into
Sec. Township No 30 North of Range No 6 East
of the 2nd Mer. Indiana. And I do further Certify
that the foregoing are the true (and mainly) the original
field notes of the said survey and subdivisions, executed
as aforesaid.

Certified this 18th day of April. 1834.

John Hendricks
Dep. Surveyor.

William X. Cash. }
William Tilton } Chamberlain

Andrew B. Rodefer-Mather (in part.)

I Certify that the foregoing transcript of the field notes
of Township No 30 North of Range No 6 East of the
2nd Mer. in Indiana, has been compared with the
Original Notes in this Office and found to be correct.
Surveyor General's Office.

Cincinnati February 13th 1843

William Johnston
Sur. Genl.